


Elite Valve

elitevalve.com

Customized
valve solutions
for the toughest
applications.



E6600 High Performance Class 300 Knife Gate Valve

Product Brief

E6600 High Performance Class 300 Knife Gate Valve

The E6600 High Performance KGV is specifically designed for the pulp & paper, mining, oil & gas, and power generation industries. The perimeter seat and dual transverse seal design ensures reliable, bidirectional shut-off in applications such as slurries, dry materials, gases, and corrosive fluids. The E6600 can be configured and customized for many types of severe service and aggressive process applications.

Features & Benefits

- Perimeter style seat provides reliable, bidirectional flow/shutoff for zero downstream leakage
- Full port opening allows maximum throughput and minimizes pressure drop
- Transverse seat design with scrapers reduces material build-up and provides reliable sealing
- Positive gate stop ensures seat integrity is maintained
- Flushing ports allow elimination of material buildup
- Lockout pin and safety covers, included as standard, ensures operator and maintenance safety
- High visibility clevis provides easy identification of valve position
- Provision for proximity sensors allows easy integration of position feedback
- ISO 5211 mounting pattern allows direct mounting of various actuation options
- Grease fitting on handwheel bearing reduces operating torques

Technical Details & Standards

- Standard sizes available: 2"–48" (larger sizes available on request)
- Standard WCB or 316SS body
- Polished 316SS gate
- 304SS stem with rolled ACME threads
- Heavy duty yoke with safety screens
- Aflas resilient seat
- Aflas transverse seals with phenolic scrapers and PTFE energizer
- Pressure rating as per ASME Class 300
- ASME B16.5 flange pattern (alternate flange patterns available on request)
- Designed and tested per MSS SP-135
- Canadian CRN

Options & Accessories

- High alloy body materials such as 317SS, 2205SS, 2507SS, or titanium for improved corrosion resistance
- High alloy or hardened seat ring and gates including 317SS, 2205SS, 2507SS, RC50, Inconel 625, 17-4PH, or titanium for improved corrosion and wear resistance
- Alternate seat materials including Viton, or EPDM for process compatibility
- Specialty gate and body coatings including TDP5, Nedox, Xylan, and hard chrome for improved corrosion and wear resistance
- Double block and bleed variants available
- Pneumatic or hydraulic cylinders, and electric actuators for automated or remote control
- Bevel gearbox for easy manual operation
- Proximity switches for gate position feedback

